

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	bradley.in. and allen.in. and bowlin.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:15
L2	2	"5903720".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:17
L3	1	l2 and (random\$2 or arbitrar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:17
L4	2	"20020073323".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:22
L5	0	"6775780".pn. and (random\$2 or arbitrar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:24
L6	961	random\$3 near2 select\$3 with (file\$2 or program\$2) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:25
L7	22	L6 and virus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:25
L8	8	random\$3 near2 select\$3 with (file\$2 or program\$2) with (share\$2 or protect\$2) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:43

L9	982	virtual\$3 near share\$2 and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:44
L10	141	virtual\$3 near share\$2 with (file\$2 or program\$2) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:53
L11	0	virtual\$3 near share\$2 near mode with (file\$2 or program\$2) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:45
L12	103	(user\$2 or client\$2) near random\$2 near2 (complet\$3 or select\$2) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:54
L13	28	(user\$2 or client\$2) near4 random\$2 near2 (complet\$3 or select\$2 or choos\$3 or mark\$3) with (screen or form\$2) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:55
L14	12	(user\$2 or client\$2) near4 (random\$2 not random adj (number or access)) near2 (complet\$3 or select\$2 or choos\$3 or mark\$3) with (screen or form\$2) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:57
L15	237	(user\$2 or client\$2) near4 randomly adj (complet\$3 or select\$2 or choos\$3 or mark\$3) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:58
L16	2	(user\$2 or client\$2) near4 randomly adj (complet\$3 or select\$2 or choos\$3 or mark\$3) near2 (file\$2 or program\$2) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:59

L17	7	(user\$2 or client\$2) near4 randomly adj (complet\$3 or select\$2 or choos\$3 or mark\$3 or set\$2 or pick\$2 or designat\$3 or allow\$2 or protect\$2) near2 (file\$2 or program\$2 or data) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 10:03
L18	250	(user\$2 or client\$2) near4 randomly with (file\$2 or program\$2 or data) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 10:03
L19	30	(user\$2 or client\$2) near4 arbitrarily adj (complet\$3 or select\$2 or choos\$3 or mark\$3 or set\$2 or pick\$2 or designat\$3 or allow\$2 or protect\$2) near2 (file\$2 or program\$2 or data) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 10:17
L20	0	(user\$2 or client\$2) near2 (arbitrarily or randomly) adj set\$2 with permission\$ and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 10:18
L21	0	(user\$2 or client\$2) near2 (arbitrarily or randomly) adj set\$2 with privileges and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 10:18
L22	8	(user\$2 or client\$2) near2 (arbitrarily or randomly) adj select\$2 with access and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 10:20
L23	0	(user\$2 or client\$2) with (arbitrarily or randomly) with access near (permission\$2 or privilege\$2) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 10:21
L24	11	(user\$2 or client\$2) with (arbitrarily or randomly) with (permission\$2 or privilege\$2) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 10:50

L25	1	"6457022".pn. and network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 10:50
L26	0	detect\$3 with virus with log\$3 near off and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 11:01
L27	0	detect\$3 with virus same log\$3 near off and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 11:01
L28	2	virus same log\$3 near off and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 11:02
L30	0	log\$4 near off same log\$4 near on and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 11:03
L31	0	log\$4 near on and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 11:03
L34	0	logs near on and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 11:04
L35	741	logs near off and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 11:04

L36	4245	log\$4 near off and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 11:04
L37	134	log\$4 near off same (hacker\$2 or security) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 11:05
L38	142	log\$4 near off same (hacker\$2 or security or malicious or virus) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 11:05
L39	165	log\$4 near off same (hacker\$2 or security or malicious or virus or intruder or unauthoriz\$3) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 11:07
L40	82	log\$4 with on	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 11:07
L41	104	log\$4 near off same (hacker\$2 or security or malicious or virus or intruder or unauthoriz\$3) and (relog\$4 or re-log\$4 or (log\$4 with in)) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 11:18
L42	12	log\$4 near off same (hacker\$2 or security or malicious or virus or intruder or unauthoriz\$3) and (relog\$4 or re-log\$4 or (log\$4 with back with in)) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 11:11
L43	92	l41 not l42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 11:11

L44	32	log\$4 near off same (hacker\$2 or (security with (breach\$2 or threat\$2)) or malicious or virus or intruder or unauthoriz\$3) and (relog\$4 or re-log\$4 or (log\$4 with in)) and @ad<"20010726" not l42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 12:17
L45	20	virus with record\$3 with time and @ad<"20010726" not l42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 12:18
L46	20	virus with record\$3 with time and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 12:20
L47	114	(breach\$2 or intrusion\$2) with record\$3 with time and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 12:23
L48	4	(breach\$2 or intrusion\$2) with record\$3 with (time and source) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 12:32
L49	0	"5991881".pn. and log\$4 with off	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 12:33
L50	2	"5991881".pn. and log\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 12:33
L51	105	(713/200.ccls. 713/201.ccls. 713/188.ccls.) and @ad<"20010726" and @pd>"20050314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 16:14

S1	3142	713/201.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:17
S2	0	opened adj share and "20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 18:26
S3	2	"6073239".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 08:23
S4	2430	network and security and virus and ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 09:03
S5	5	kuo.in. and chengi.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 08:28
S6	12	muttik.in. and igor.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 08:28
S7	2	S6 and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 08:39
S8	0	gryaznov.in. and omitry.in. and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 08:41

S11	52	networks adj associates adj technology.asn. and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/15 08:48
S12	1144	S4 and (virtual or emulate\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 09:04
S13	541	S12 and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 09:04
S14	3142	713/201.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 11:12
S15	1820	S14 and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 11:12
S16	71	S15 and security and virus and (virtual or emulate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 11:22
S17	2655	713/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 11:22
S18	139	713/188.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 11:24

S19	98	S18 and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 11:24
S20	2	"6269447".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:18
S21	0	S20 and (lex\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:19
S22	0	S20 and polymorphic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:19
S23	622	virus and (security or protection) and network and (virtual or emulate) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:39
S24	312	S23 and parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:40
S25	262	S24 and list	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:41
S26	161	S25 and list same program\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:42

S27	102	S26 not hoffman.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:54
S29	2700	security and access same list and (virtual or emulate) and network and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:55
S30	260	S29 and virus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:55
S31	2	"20020073323".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 08:49
S32	0	S31 and gateway	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 08:50
S33	2	"6775780".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 08:50
S34	0	S33 and gateway	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 08:50
S35	2	"20020099944".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 16:50

S36	3	bradley.in. and bowlin.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 17:33
S37	2	S36 and random\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 17:33
S38	4	temporarily near log\$4 near off and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 18:11
S39	4210	log\$4 near off and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 18:12
S40	64	S39 and virus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 18:15
S41	0	S39 and log\$4 near on	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 18:15
S42	10	coordinated adj attack and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:32
S43	5	S42 and log\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:49

S44	0	log\$4 adj on and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 09:05
S45	0	suspend\$3 near mode same virus and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:57
S46	15	suspend\$3 near mode and virus and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:57
S47	0	log\$4 near on and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 09:05
S49	0	(logs or logging) near on and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 09:06
S50	639	(logs or logging) near in and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 09:07
S51	2	S50 and virus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 09:07
S52	5803	713/201.ccls. or 713/200.ccls. or 713/188.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 14:27

S53	85	S52 and @ad<"20010726" and @pd>"20041215"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 14:28
S54	19	S53 and (virus\$2 or viral or malicious)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 14:28
S55	2	"20020099944".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 14:19
S56	1	S55 and random\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 14:43
S57	961	random\$3 near2 select\$3 with (file\$2 or program\$2) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 14:46
S58	2	random\$3 near2 select\$3 near2 (file\$2 or program\$2) with (protect\$2 or safe) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 15:19
S59	330	random\$3 near2 select\$3 near2 (file\$2 or program\$2) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 15:19
S60	175	random\$3 with (file\$2 or program\$2) with (protect\$3 or safe\$3 or safeguards) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 15:20

S61	1934	random\$3 with (file\$2 or program\$2) with (protect\$3 or select\$2 or mark\$2 or safeguard\$2) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 15:21
S62	619	random\$3 near (protect\$3 or select\$2 or mark\$2 or safeguard\$2) with (file\$2 or program\$2) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 15:24
S63	59	S62 and ("713"/\$.ccls. or "380"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 15:23
S64	22	random\$3 near (protect\$3 or select\$2 or mark\$2 or safeguard\$2) with (file\$2 or program\$2) and (virus\$2 or viral) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 15:43
S65	21020477	random\$2 with (file\$2 or program\$2) and (virus\$2 or viral) @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 15:46
S66	152	random\$2 with select\$3 same (file\$2 or program\$2) and (virus\$2 or viral) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 15:46
S67	92	random\$2 near2 select\$3 same (file\$2 or program\$2) and (virus\$2 or viral) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 15:47
S68	0	random\$2 near2 (select\$3 or mark\$3 or designat\$3) with (protect\$3 or secure) same (file\$2 or program\$2) and (virus\$2 or viral) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 15:49

S69	26	random\$2 near2 (select\$3 or mark\$3 or designat\$3) with (file\$2 or program\$2) and (virus\$2 or viral) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 15:54
S70	1048	random\$2 near2 (select\$3 or mark\$3 or designat\$3) with (file\$2 or program\$2) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 15:55
S71	454	random\$2 near2 (select\$3 or mark\$3 or designat\$3) near3 (file\$2 or program\$2) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 15:56
S72	3	random\$2 near2 (select\$3 or mark\$3 or designat\$3) near3 (file\$2 or program\$2) with (protect\$3) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 15:57
S73	13	random\$2 near2 (select\$3 or mark\$3 or designat\$3) near3 (file\$2 or program\$2) with (mode or zone) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:11
S74	18	random\$2 near2 (select\$3 or mark\$3 or designat\$3) near3 share\$2 and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:19
S75	120	random\$2 with share\$2 near (file\$2 or program\$2 or resource\$2) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:24
S76	8	randomly with share\$2 near (file\$2 or program\$2 or resource\$2) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:58

S77	30	(random\$2 not random adj access) with share\$2 near (file\$2 or program\$2 or resource\$2) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:27
S78	57	(random\$2 not random adj access) with (share\$2 or protect\$2) near (file\$2 or program\$2 or resource\$2) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:29
S79	27	S78 not S77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:28
S80	2	"5495533".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:36
S81	23	"6647400".pn. "6189032".pn. "5235641".pn. "5969632".pn. "6249866".pn. "4183085".pn. "5584023".pn. "5933826".pn. "6658415".pn. "6449643".pn. "5919257".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:54
S82	2	S81 and (random\$2 not random adj access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:42
S83	8	(random\$2 not random adj access) adj (select or selects) with share\$2 and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:47
S84	14	(random\$2 not random adj access) adj (select or selects) with (protect\$2 or hid\$3) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:49

S85	136	(random\$2 not random adj access) same prevent\$3 with attack\$2 and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:50
S86	43	(random\$2 not random adj (access or number)) same prevent\$3 with attack\$2 and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:50
S87	1	S77 and arbitrarily	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:55
S88	0	S55 and arbitrar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:55
S89	11	arbitrarily with share\$2 near (file\$2 or program\$2 or resource\$2) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 17:00
S90	9	(arbitrarily or randomly) near (select\$3 or choose\$2 or assign\$3) with (share\$2 or protect\$2) near2 (file\$2 or program\$2 or resource\$2) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 17:02
S91	6	(arbitrar\$2 or (random\$2 not random adj access)) with (select\$3 or choose\$2 or assign\$3) with (share\$2 or protect\$2) near2 (file\$2 or program\$2 or resource\$2) and @ad<"20010726" not S90	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 17:05
S92	4	(arbitrar\$2 or (random\$2 not random adj access)) with (select\$3 or choose\$2 or assign\$3 or designat\$3 or mark\$3) with (share\$2 or protect\$2) near2 (file\$2 or program\$2 or resource\$2) and @ad<"20010726" not S90 not S91	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 17:06

S93	87	(random\$2 or arbitrar\$3) same prevent\$3 near detection and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 17:28
S94	52	(random\$2 or arbitrar\$3) with prevent\$3 near detection and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 17:29
S95	19	((random\$2 not random adj (number or access)) or arbitrar\$3) with prevent\$3 near detection and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 17:30
S96	1088	((random\$2 not random adj (number or access)) or arbitrar\$3) near (select\$3 or choos\$3 or pick\$3 or designat\$3) with detect\$3 and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 17:33
S97	24	((random\$2 not random adj (number or access)) or arbitrar\$3) near (select\$3 or choos\$3 or pick\$3 or designat\$3) with (file\$2 or program\$2 or resource\$2) with detect\$3 and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 17:34
S98	46	((random\$2 not random adj (number or access)) or arbitrar\$3) near (select\$3 or choos\$3 or pick\$3 or designat\$3) same (prevent\$3 or hard\$2) with detect\$3 and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 18:01
S99	12	"5361359".pn. "5826268".pn. "5903720".pn. "6092201".pn. "6412070".pn. "6470450".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 18:03
S100	5	S99 and (random\$2 or arbitrar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 18:03